

arca®

LABELING & MARKING

SERIES

EASY



<i>Labeler</i> Etichettatrice	<i>Max label reel diameter</i> Diametro max rotolo etichette	<i>Max speed</i> Velocità max	<i>Max frequency</i> Frequenza max	<i>Accuracy</i> Precisione di erogazione
EASY 110	280mm - 11.02"	up to 20 m/min - 65.5 ft/min	490 pcs/min	± 1,1mm ± 0.043"
EASY 160	300mm - 11.81"	up to 20 m/min - 65.5 ft/min	490 pcs/min	± 1,1mm ± 0.043"



LABELING & MARKING



The economy of Arca is suitable for any space and... to any budget

The very small size and the total modularity allow it easy integration into any line productive at low speed and in any semiautomatic machine.

It can be equipped with various devices for printing and marking; and with all most important accessories

L'economica di Arca adatta a qualsiasi spazio e... a qualsiasi budget

Le dimensioni ridottissime e la totale modularità ne consentono un'agevole integrazione in qualsiasi linea produttiva a bassa velocità e in qualsiasi macchina semiautomatica.

È equipaggiabile con diversi dispositivi per la stampa e la marcatura; e con tutti gli accessori più importanti




EASY FACTS



LABELING & MARKING

CHANGE ON THE FLY 	PW SET UP 	MAX SPEED 20m/min 	FREQUENCY 480pcs/min 	
OFF LINE 	JOG 	LABELING PROGRAMS 	ELECTRONIC TARGET 	ABSOLUTE TARGET
1:1 	PRE ALARM 	280/300 		
COUNTER 	SYNCSPEED 			
FREQUENCY CHECK 	SAFE DETECTION 	MISSING LABEL RECOVERY 	AUTOMATIC STOP 	
ELECTRICAL SIGNALS 				
T.T. (on moving) 	T.IJ (on moving) 			

High end / Low end



*Optional
*Optional